

Surveillance of **Tuberculosis** in Europe - **EuroTB**



Report on
tuberculosis cases
notified in 1998



Institut de Veille Sanitaire, France
WHO Collaborating Centre
for the Surveillance of Tuberculosis in Europe
Royal Netherlands Tuberculosis Association (KNCV)



Surveillance of tuberculosis in Europe: participating countries and national institutions

Andorra	Ministry of Health and Welfare	Andorra la Vella
Albania	Ministry of Health and Environment University Hospital of Lung Diseases	Tirana
Armenia	Ministry of Health	Tirana
Austria	Bundesministerium für soziale Sicherheit und Generationen	Yerevan
Azerbaijan	Ministry of Health	Vienna
Belarus	Scientific Research Institute of Pneumology and Phtisiology	Baku
Belgium	Belgium Lung & Tuberculosis Association (BELTA)	Minsk
Bosnia & Herzegovina	Clinic of Pulmonary Diseases and Tuberculosis "Podhrastovi" Public Health Institute	Brussels
Bulgaria	Ministry of Health	Sarajevo
Croatia	Croatian National Institute of Public Health	Banja Luka
Czech Republic	Clinic of Chest Diseases & Thoracic Surgery	Sofia
Denmark	Statens Serum Institut	Zagreb
Estonia	Kivimae Hospital Ministry of Health	Prague
Finland	National Public Health Institute	Copenhagen
France	Direction générale de la Santé Institut de Veille Sanitaire	Tallinn
Georgia	Institute of Phtisiology and Pulmonology	Helsinki
Germany	Robert Koch-Institut	Paris
Greece	National Centre for Surveillance and Intervention (NCSI)	Saint-Maurice
Hungary	"Koranyi" National Institute of Tuberculosis & Pulmonology	Tbilisi
Iceland	Reykjavik Health Care Centre	Berlin
Ireland	National Disease Surveillance Centre	Athens
Israel	Ministry of Health	Budapest
Italy	Ministero della Sanità Istituto Superiore di Sanità	Reykjavik
Kazakhstan	Kazakh Tuberculosis Research Institute	Dublin
Kyrgyzstan	National Tuberculosis & Lung Diseases Institute	Jerusalem
Latvia	State Centre of Tuberculosis & Lung Diseases of Latvia	Roma
Lithuania	Lithuanian Centre of Pneumology & Tuberculosis	Roma
Luxembourg	Direction Générale de la Santé	Almaty
Macedonia, (Former Yugoslav Republic)	Institute for Lung Diseases and Tuberculosis	Bishkek
Malta	Department of Health	Riga
Moldova, Republic of	The Republican Phtisiopulmonology Clinic	Vilnius
Monaco	Direction de l'Action Sanitaire et Sociale	Luxembourg
Netherlands	Royal Netherlands Tuberculosis Association (KNCV)	Skopje
Norway	National Health Screening Service	G'mangia
Poland	National Tuberculosis & Lung Diseases Institute	Chisinau
Portugal	Ministério da Saúde	Monaco
Romania	Institute of Pneumophtisiology "Marius Nasta"	The Hague
Russian Federation	Russian Research Institute of Pneumophtisiology	Oslo
San Marino	Ospedale di Stato di San Marino	Warsaw
Slovakia	Ministry of Health	Lisbon
Slovenia	University clinic of respiratory and allergic diseases	Bucharest
Spain	Instituto de Salud "Carlos III"	Moscow
Sweden	Swedish Institute for Infectious Disease Control	Cailungo
Switzerland	Swiss Federal Office of Public Health	Bratislava
Tajikistan	Tajikistan Medical University	Golnik
Turkey	Ministry of Health	Madrid
Turkmenistan	Central Republican Tuberculosis Control Hospital	Solna
Ukraine	Institute of Tuberculosis & Pulmonology	Bern
United Kingdom	PHLS Communicable Disease Surveillance Centre Scottish Centre for Infection & Environmental Health Communicable Disease Surveillance Centre, NI	Dushanbe
Uzbekistan	Scientific Research Institute of Phtisiology and Pulmonology	Ankara
Yugoslavia	Institute of Pulmonology & Protection against Tuberculosis	Ashkhabad

Surveillance of tuberculosis in Europe is an annual report prepared by the EuroTB programme staff with the collaboration of the members of the EuroTB Advisory Committee. It presents information provided by the national coordinators for tuberculosis surveillance in the countries of the WHO European Region.

Single copies and regular mailing can be requested at the address below; the report is also accessible via the website: **www.eurotb.org**

EuroTB receives financial support from the European Commission (DG-SANCO)

EuroTB staff: Delphine Antoine, Andrea Infuso, Valérie Schwæbel (epidemiologists, InVS), Hedwige Bousquié (assistant, InVS) and Jaap Veen (tuberculosis consultant, KNCV)

Advisory committee: Luke Clancy (IUATLD-Europe Region), Francis Drobniowski (United Kingdom) Sven Hoffner (Sweden), Jean-Paul Klein (Austria), Annika Kruuner (Estonia), Kitty Lambregts (Netherlands), Maria-Luisa Moro (Italy), Mario Raviglione (WHO-HQ), Hans Rieder (IUATLD), Victoria Romanus (Sweden), Petri Ruutu (Finland), Jurij Sorli (Slovenia), John Watson (United Kingdom), Richard Zaleskis (WHO-Regional Office for Europe).

Suggested citation:

EuroTB (InVS/KNCV) and the national coordinators
for tuberculosis surveillance in the WHO European Region.

Surveillance of tuberculosis in Europe.
Report on tuberculosis cases notified in 1998,
February 2001

Neither the European Commission nor any person acting on behalf of the commission is liable for the use that may be made of the information contained in this report.

EuroTB - InVS

12, rue du Val d'Osne - 94415 Saint-Maurice Cedex France

Telephone: +33.1.41.79.68.05
e-mail: eurotb@invs.sante.fr

Fax: + 33.1.41.79.68.02
internet: www.eurotb.org

TABLE OF CONTENTS

1	Summary	9
1.1	English	9
1.2	French	11
1.3	Russian	13
2	Technical note	15
2.1	Data collection	15
2.2	Case definition and classification	15
2.2.1	TB case definition	15
2.2.2	Previous TB diagnosis	16
2.2.3	Previous TB treatment	16
2.2.4	Site of disease	16
2.2.5	Geographic origin of the case	17
2.2.6	Drug resistance	17
2.3	Data presentation	17
3	Country surveillance systems	19
3.1	Inclusion of specific population groups in notifications	19
3.2	Recommendations for notification of recurrent cases	19
3.3	Case definition and classification	20
3.4	Estimates of over and under-notification	20
3.5	Bacteriological diagnosis and laboratory networks	20
4	Tuberculosis cases notified in 1998	21
4.1	Information provided	21
4.2	Global 1998 figures and trends	21
4.3	New and recurrent cases	23
4.4	Sex and age	25
4.5	Geographic origin	27
4.6	Site of disease	29
4.7	Bacteriology results	30
4.7.1	Culture	30
4.7.2	Sputum smear	31
4.7.3	Bacteriologically confirmed cases	31
5	Drug resistance surveillance in 1998	33
5.1	Data presentation	33
5.2	Laboratory practices	33
5.3	Drug resistance results in 1998	33
5.3.1	Countries providing DST results for notified cases	33
5.3.2	Countries providing DST results not related with notification	36
5.4	Discussion on drug resistance results	36
6	References	37
7	Tables by country	39
8	Country profiles	61

TABLES

Table 1	Recommendations for notification of recurrent cases, 1998	20
Table 2	Major and minor sites of TB disease by age group, 1998	29
Table 3	Inclusion of specific population groups in tuberculosis notifications, 1998	41
Table 4	Data provided to EuroTB, 1998	42
Table 5	Tuberculosis cases and annual notification rates per 100 000 population, 1995-1998	43
Table 6	Tuberculosis cases according to previous TB diagnosis, 1998	44
Table 7	Tuberculosis cases by sex, 1998	45
Table 8	Tuberculosis cases by age group, 1998	46
Table 9	Tuberculosis cases by geographic origin, 1998	48
Table 10	Foreign tuberculosis patients by continent of origin, 1998	49
Table 11	Tuberculosis cases by culture result, 1998	50
Table 12	Tuberculosis cases by site of disease, 1998	51
Table 13	Pulmonary or respiratory tuberculosis cases by sputum smear result, 1998	52
Table 14	Tuberculosis cases by site of disease, culture and sputum smear results, 1998	53
Table 15	Type of drug resistance surveillance and representativeness of data, 1998	54
Table 16	Drug resistance among TB cases notified in 1998	55
Table 17	Drug resistance among TB cases notified in 1998, by previous anti-tuberculosis treatment status	56
Table 18	Drug resistance among TB cases notified in 1998, by geographic origin	58

FIGURES AND MAPS

Figure 1	Tuberculosis notification rates by geographic area, 1995-1998	21
Figure 2	Number of TB cases and TB notification rates by age group, 1998	24
Figure 3	TB notification rates by age group and sex, 1998	26
Figure 4	TB notification rates by age group, sex and geographic origin, 1998, West	28
Figure 5	Proportion of multi-drug resistant TB cases (MDR), 1998	35
Map 1	Tuberculosis notification rates, 1998	22
Map 2	Changes in tuberculosis notification rates, 1998 compared to 1995	22
Map 3	Proportion of tuberculosis cases among patients of foreign origin, 1998	27