

	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024																										
Nb de cas - France entière	269	263	188	220	209	236	221	290	319	276	328	312	282	346	369	373	414	375	371	339	373	334	435	452	538	619																										
Nb de cas - Métropole	254	257	173	206	196	220	204	268	307	265	320	305	274	339	364	363	409	368	359	334	360	325	423	445	524	612																										
Incidence - France entière ⁽¹⁾	4,5	4,3	3,1	3,6	3,4	3,8	3,5	4,6	5,0	4,3	5,1	4,8	4,3	5,3	5,6	5,6	6,2	5,6	5,6	5,1	5,5	5,0	6,4	6,7	7,9	9,0																										
Incidence - Métropole	4,3	4,4	2,9	3,5	3,3	3,6	3,3	4,4	5,0	4,3	5,1	4,9	4,3	5,3	5,7	5,7	6,4	5,7	5,6	5,2	5,5	5,0	6,5	6,8	7,9	9,2																										
Age, médiane, (min–max)	63 (7m–95)	63 (2m–95)	66 (1m–93)	59 (1m–96)	65 (3–96)	66 (2–103)	66 (1–96)	68 (2–94)	68 (8m–96)	71 (4–98)	67 (2m–102)	68 (2m–100)	72 (3–107)	71 (11–98)	70 (1–96)	71 (1m–95)	74 (7m–99)	76 (5–98)	76 (7m–98)	78 (11m–104)	76 (4m–99)	74 (5–100)	74 (2m–99)	76 (10m–101)	76 (1m–101)	76 (2–99)																										
Sexe (% femme)	54%	52%	53%	57%	58%	53%	52%	52%	47%	50%	49%	48%	47%	49%	49%	47%	47%	44%	49%	48%	47%	44%	45%	47%	40%	45%																										
Pathologies sous-jacentes	64%	65%	73%	67%	68%	75%	78%	81%	80%	81%	82%	83%	83%	83%	76%	79%	79%	80%	79%	81%	83%	82%	81%	85%	81%	81%																										
Pathologies sous-jacentes (formes non-MN)	81%	84%	89%	84%	83%	90%	89%	90%	90%	87%	90%	90%	91%	89%	89%	85%	83%	84%	85%	85%	89%	88%	86%	90%	90%	86%																										
Formes materno-néonatales (n, % Nb de cas)	67	25%	64	24%	44	23%	55	25%	47	22%	49	21%	39	18%	36	12%	46	14%	31	11%	50	15%	43	14%	35	12%	38	11%	41	11%	49	13%	37	9%	33	9%	32	9%	29	9%	32	9%	35	10%	37	9%	41	9%	44	8%	46	7%
Nouveau-né vivant	43	64%	34	53%	29	66%	30	55%	30	64%	31	63%	19	49%	20	56%	25	54%	12	39%	31	62%	26	60%	21	60%	23	61%	29	71%	29	59%	17	46%	18	55%	23	72%	20	69%	17	53%	18	51%	24	65%	21	51%	28	64%	25	54%
Maternelle isolée	11	16%	9	14%	5	11%	6	11%	7	15%	5	10%	10	26%	6	17%	8	17%	8	26%	5	10%	4	9%	5	14%	4	11%	6	15%	11	22%	10	27%	6	18%	3	9%	3	10%	4	13%	8	23%	8	22%	13	32%	5	11%	11	24%
Avortement ⁽²⁾	8	12%	14	22%	5	11%	11	20%	5	11%	6	12%	6	15%	8	22%	6	13%	7	23%	9	18%	4	9%	6	17%	9	24%	3	7%	4	8%	8	22%	8	24%	4	13%	3	10%	7	22%	5	14%	3	8%	2	5%	8	18%	3	7%
Mort fœtale <i>in utero</i> ⁽³⁾	5	8%	7	11%	5	11%	8	15%	5	11%	7	14%	4	10%	2	6%	7	15%	4	13%	5	10%	9	21%	3	9%	2	5%	3	7%	5	10%	2	5%	1	3%	2	6%	3	10%	4	13%	4	11%	2	5%	4	10%	3	7%	6	13%
Létalité fœto-néonatale ⁽⁴⁾	13	19%	21	33%	10	23%	19	35%	10	21%	13	27%	10	26%	10	28%	13	28%	11	35%	14	28%	13	30%	9	26%	11	29%	6	15%	9	18%	10	27%	9	27%	6	19%	6	21%	11	34%	9	26%	5	14%	6	15%	11	25%	9	20%
Formes non materno-néonatales (n, % Nb de cas)	202	75%	199	76%	144	77%	165	75%	162	78%	187	79%	182	82%	254	88%	273	86%	245	89%	278	85%	269	86%	247	88%	308	89%	328	89%	324	87%	377	91%	342	91%	339	91%	310	91%	341	91%	299	90%	398	91%	411	91%	494	92%	573	93%
Age, médiane, (min–max)	69 (7m–95)	70 (2m–95)	71 (1m–93)	66 (1m–96)	70 (3–96)	71 (2–103)	70 (1–96)	71 (2–94)	71 (8m–96)	72 (4–98)	72 (2m–102)	73 (2m–100)	75 (3–107)	75 (11–98)	73 (1–96)	76 (1m–95)	76 (6m–99)	77 (5–98)	78 (7m–98)	79 (8m–104)	77 (4m–99)	77 (5–100)	76 (2m–99)	79 (10m–101)	76 (1m–101)	77 (2–99)																										
Décès, létalité (%)	47	23%	35	18%	46	32%	35	21%	27	17%	38	20%	31	17%	56	22%	59	22%	39	16%	68	24%	53	20%	50	20%	60	19%	64	20%	51	16%	75	20%	53	15%	58	17%	41	13%	59	17%	44	15%	72	18%	73	18%	95	19%	96	17%
Bactériémies (n, % cas non materno-néonataux)	117	43%	106	40%	85	45%	87	40%	99	47%	124	53%	113	51%	169	59%	173	54%	158	58%	172	53%	168	54%	171	61%	182	53%	210	57%	219	68%	221	59%	210	61%	206	61%	199	64%	222	65%	200	67%	248	62%	269	65%	323	65%	372	65%
Décès, létalité (%)	29	25%	20	19%	29	34%	21	24%	19	19%	26	21%	20	18%	43	25%	41	24%	27	17%	44	26%	34	20%	35	20%	38	21%	42	20%	37	17%	45	20%	35	17%	37	18%	31	16%	40	18%	28	14%	47	19%	49	18%	60	19%	61	16%
Neuroméningées (n, % cas non materno-néonataux)	70	26%	78	30%	51	27%	70	32%	55	26%	54	23%	62	28%	67	23%	86	27%	70	25%	87	27%	78	25%	68	24%	102	29%	100	27%	84	26%	111	29%	97	28%	100	29%	80	26%	91	27%	73	24%	121	30%	114	28%	147	30%	160	28%
Décès, létalité (%)	18	26%	14	18%	15	29%	11	16%	8	15%	11	20%	10	16%	12	18%	17	20%	10	14%	23	26%	16	21%	14	21%	18	18%	22	22%	12	14%	24	22%	17	18%	17	17%	10	13%	15	16%	13	18%	22	18%	21	18%	33	22%	26	16%
Autres (n, % cas non materno-néonataux)	15	6%	15	6%	8	4%	8	4%	8	4%	9	4%	7	3%	18	6%	14	4%	17	6%	19	5%	23	7%	8	3%	24	7%	18	5%	21	6%	45	12%	35	10%	33	10%	31	10%	28	8%	26	9%	29	7%	28	7%	24	5%	41	7%
Décès, létalité (%)	8	53%	1	7%	2	25%	3	38%	3	38%	1	11%	1	14%	1	6%	1	7%	2	12%	1	5%	3	13%	1	13%	4	17%	9	50%	2	10%	6	13%	1	3%	4	12%	0	0%	4	14%	3	12%	3	10%	3	11%	2	8%	9	22%

⁽¹⁾ : par million d'habitants

⁽²⁾ : mort *in utero* et terme de grossesse ≤ 22 SA

⁽³⁾ : mort *in utero* et terme de grossesse > 22 SA