

L'article
du
MOIS

**UNE SÉROPOSITIVITÉ ANTI-IGG CHIKUNGUNYA DURABLE
DANS LA POPULATION DE MAYOTTE NE SUFFIRA PAS
À PRÉVENIR DE FUTURES ÉPIDÉMIES : UNE ÉTUDE DE
SÉROPRÉVALENCE, 2019**

Long lasting anti-IgG chikungunya seropositivity in the Mayotte population will not be enough to prevent future outbreaks: A seroprevalence study, 2019

[LIRE L'ARTICLE DU MOIS](#)

REVUES INTERNATIONALES

Sont listés ci-dessous les articles scientifiques du mois précédent parus dans des revues internationales et auxquels Santé publique France* a contribué en tant qu'auteur ou coauteur.

Les articles en Open access  sont accessibles directement. Pour les autres articles , est précisé le lien vers la revue avec le DOI de l'article.


Acceptability of mandatory vaccination against influenza, measles, pertussis and varicella by workers in healthcare facilities: a national cross-sectional study, France, 2019

Vaux S, Fonteneau L, Péfau M, Venier A, Gautier A, Altrach S, et al.

Arch Public Health. 2023-04-05;81(1):51

[LIRE L'ARTICLE](#)


Spatial and seasonal determinants of Lyme borreliosis incidence in France, 2016 to 2021

Fu W, Bonnet C, Septfons A, Figoni J, Durand J, Frey-klett P, et al.

Euro Surveill. 2023;28(14):pii=2200581.

[LIRE L'ARTICLE](#)


Social determinants of inadequate prenatal care utilization in sheltered homeless mothers in the Greater Paris area in France

Richard E, Vuillermoz C, Lioret S, Berrocal R, Guyavarch E, Lambert Y, et al.

Front Public Health. 2023-03-21;11:1080594.

[LIRE L'ARTICLE](#)

8

Time trends in the prevalence of asthma in French schoolchildren

Delmas M, Marguet C, Leynaert B.

Respir Med Res. 2023 Jun;83:101003.

[LIRE L'ARTICLE](#)

8

Reactive surveillance of suicides during the COVID-19 pandemic in France, 2020 to March 2022

Fouillet A, Martin D, Pontais I, Caserio-schönemann C, Rey G.

Epidemiol Psychiatr Sci. 2023-04-17;32:e20.

[LIRE L'ARTICLE](#)

8

Mental health of pregnant women during the SARS-CoV-2 pandemic in France: Evolution of self-perceived psychological state during the first lockdown, and anxiety frequency two months after the lockdown ended

Doncarli A, Araujo-chaveron L, Crenn-hebert C, Vacheron M, Léon C, Khireddine I, et al.

PLoS One. 2023-04-20;18(4):e0272108.

[LIRE L'ARTICLE](#)

An Update of Evidence for Pathogen Transmission by Ticks of the Genus Hyalomma

Bonnet S, Bertagnoli S, Falchi A, Figoni J, Fite J, Hoch T, et al.

Pathogens. 2023 Mar 25;12(4):513.

[LIRE L'ARTICLE](#)

8

Place of death in France: impact of the first wave (March-May 2020) of the Covid-19 epidemic

Aldea-ramos N, Le Strat Y, Fouillet A.

BMC Public Health 23, 776 (2023).

[LIRE L'ARTICLE](#)

8

Resurgence of symptomatic Mpox among vaccinated patients: first clues from a new-onset local cluster

Jamard S, Handala L, Faussat C, Vincent N, Stefic K, Gaudy-Graffin C, et al.

Infect Dis Now. 2023-04-27;104714.

[LIRE L'ARTICLE](#)

8

Attitudes towards booster, testing and isolation, and their impact on COVID-19 response in winter 2022/2023 in France, Belgium, and Italy: a cross-sectional survey and modelling study

De Meijere G, Valdano E, Castellano C, Debin M, Kengne-kuetche C, (...) Noël H, et al.

Lancet Reg Health Eur. 2023-03-23;28:100614.

[LIRE L'ARTICLE](#)

8

SARS-CoV-2 testing, infection and places of contamination in France, a national cross-sectional study, December 2021

Vaux S, Gautier A, Soullier N, Levy-bruhel D.

BMC Infect Dis. 2023-05-03;23(1):279.

[LIRE L'ARTICLE](#)

8

SARS-CoV-2 self-test uptake and factors associated with self-testing during Omicron BA.1 and BA.2 waves in France, January to May 2022

Supplisson O, Charmet T, Galmiche S, Schaeffer L, Chény O, (...) Mailles A, et al.

Euro Surveill. 2023;28(18):pii=2200781.

[LIRE L'ARTICLE](#)

6

The ongoing structuring of human papillomavirus (HPV) vaccination in middle schools in Nouvelle-Aquitaine, France

Quelet S, Valadeau C, Héron-rougier C, Pariente A, **Gault G**, Elleboode B.

Infect Dis Now. 2023-05-04;53(5):104717.

[LIRE L'ARTICLE](#)

6

Stronger Impact of COVID-19 in Nursing Homes of a French Region During the Second Pandemic Wave

Rabilloud M, Elsensohn M, Riche B, Voirin N, **Bénet T**, Porcu C, et al.

J Am Med Dir Assoc. 2023-04-21;24(6):885-891.e3.

[LIRE L'ARTICLE](#)

6

2022 French Report Card on Physical Activity and Sedentary Behaviors in Children and Youth: From Continuous Alarming Conclusions to Encouraging Initiatives

Fillon A, Vanhelst J, Genin P, Larras B, Tardieu M, (...) **Verdot C**, et al.

J Phys Act Health. 2023-05-09;1-10.

[LIRE L'ARTICLE](#)

6

Multinational Outbreak of *Listeria monocytogenes* Infections Linked to Enoki Mushrooms Imported from the Republic of Korea 2016-2020

Pereira E, Conrad A, Tesfai A, Palacios A, Kandar R, (...) **Tourdjman M**, et al.

J Food Prot. 2023-05-09;86(7):100101.

[LIRE L'ARTICLE](#)

6

A *Trichinella britovi* outbreak in the Northern Alps of France: investigation by a local survey network

Peju M, Granier B, Garnaud C, Brenier-pinchart M, Vallée I, (...) **Chereau F**, et al.

Parasite. 2023-05-12;30:14.

[LIRE L'ARTICLE](#)

6

A global perspective on gun violence injuries

Wolf J, Mathieu L, Tintle S, Wilson K, Luria S, **Vandendorren S**, et al.

Injury. 2023-04-28;In Press.

[LIRE L'ARTICLE](#)

6

Evolving deferral criteria for blood donation in France: Plasma donation by men who have sex with men

Tiberghien P, Lecam S, Huet J, Malard L, Tavenard T, **Pillonel J**, et al.

Vox Sang. 2023 Jun;118(6):440-446.

[LIRE L'ARTICLE](#)

6

Characteristics, management, and outcomes of patients with infectious encephalitis requiring intensive care: A prospective multicentre observational study

Fillatre P, **Mailles A**, Stahl J, Tattevin P.

J Crit Care. 2023-05-17;77:154300.

[LIRE L'ARTICLE](#)

6

Impact of asthma on working life: an analysis of the French CONANCES cohort

Provost D, Delmas M, Bénézet L, Ribet C, **Chesneau J**, Raherison C, et al.

Occup Environ Med. 2023 Jul;80(7):392-398.

[LIRE L'ARTICLE](#)

 **Acute revascularization therapy for ischemic stroke during pregnancy and post-partum in France**

Béjot Y, Olié V, Lailler G, Grave C, Regnault N, Blacher J, et al.

Eur Stroke J. 2023-02-15;8(2):467-474.

[LIRE L'ARTICLE](#)

 **Clustered Cases of Waterborne Hepatitis E Virus Infection, France**

Lhomme S, Magne S, Perelle S, Vaissière E, Abravanel F, Trelon L, et al.

Viruses. 2023-05-11;15(5):1149.

[LIRE L'ARTICLE](#)

 **Social deprivation and SARS-CoV-2 testing: a population-based analysis in a highly contrasted southern France region**

Landier J, Bassez L, Bendiane M, Chaud P, Franke F, Nauleau S, et al.

Front Public Health. 2023 May 12;11:1162711.

[LIRE L'ARTICLE](#)

 **Need for improvement of cardiovascular health: a clustering method to identify cardiovascular health profiles. From epidemiological surveillance to identification of targeted audiences for prevention campaigns**

Soyer J, Gabet A, Grave C, Piffaretti C, Verdot C, Salanave B, et al.

Eur J Public Health. 2023-05-31;;ckad048.

[LIRE L'ARTICLE](#)

 **Wood dust in France. Trends in the population of exposed workers between 1982 and 2017 based on a job-exposure matrix assessment**

Garras L, Ducamp S, Houot M, Pilorget C.

Ann Work Expo Health. 2023 May 31:wxad030.

[LIRE L'ARTICLE](#)

Tous les articles du BEH sont en accès libre et gratuit en versions HTML et PDF sur le site de [Santé publique France](#). Les résumés et les titres sont en français et anglais, le reste des articles est en français uniquement. Vous pouvez vous abonner pour le recevoir dans votre boîte aux lettres à chaque parution.

Première vague épidémique de SARS-CoV-2 en Nouvelle-Aquitaine : facteurs associés à la gravité, à l'anosmie et/ou l'ageusie et à la transmission intra-foyer, mars-avril 2020

// *First epidemic wave of SARS-CoV-2 in Nouvelle-Aquitaine, France: Factors associated with severity, anosmia or ageusia, and household transmission March-April 2020*

Gault G, Evain S, Herteau A, Siguier A, Vilain P, Trouvain K, et al.

L'enquête Score 19 a été menée en Nouvelle-Aquitaine auprès des foyers familiaux touchés par la Covid-19 entre mars et avril 2020 lors de la première vague épidémique.

[**LIRE L'ARTICLE**](#)

Expositions aux poussières de bois chez les travailleurs salariés et non-salariés en France en 2017

// *Exposure to wood dust among employees and self-employed workers in France in 2017*

Ducamp S, Garras L, Houot MT, Pilorget C.

Cette étude présente l'exposition aux poussières de bois chez les travailleurs salariés et non-salariés en France en 2017 selon le sexe et les professions et secteurs d'activité.

[**LIRE L'ARTICLE**](#)

Épidémiologie de l'hypertension artérielle en France : prévalence élevée et manque de sensibilisation de la population

// *Epidemiology of hypertension in France: high prevalence and lack of public awareness*

Olié V, Grave C, Gabet A, Chatignoux É, Gautier A, Bonaldi C, et al.

L'hypertension artérielle (HTA) est la maladie chronique la plus fréquente en France et un facteur de risque important de maladies cardiovasculaire, rénale et de démence. À l'occasion de la journée mondiale de l'HTA du 17 mai 2023, cet article dresse un panorama des dernières données épidémiologiques françaises.

[**LIRE L'ARTICLE**](#)

Prévalence de l'hypertension artérielle déclarée dans les départements et régions d'outre-mer, l'enquête Baromètre de Santé publique France de 2021

// *Prevalence of hypertension in French overseas territories: The Santé publique France Health Barometer survey, 2021*

Olié V, Gabet A, Grave C, Gautier A, Blacher J.

L'hypertension artérielle (HTA) constitue le principal facteur de risque d'accident vasculaire cérébral (AVC) et un facteur de risque important de morbi-mortalité cardiovasculaire.

[**LIRE L'ARTICLE**](#)

Prévalence du tabagisme et du vapotage en France métropolitaine en 2022 parmi les 18-75 ans
// Prevalence of smoking and vaping in France in 2022 among 18-75 year olds

Pasquereau A, Andler R, Guignard R, Soullier N, Beck F, Nguyen-Thanh V.

Après une baisse d'une ampleur inédite en France de la prévalence tabagique entre 2016 et 2019, celle-ci s'est stabilisée depuis.

[**LIRE L'ARTICLE**](#)

Facteurs associés à l'envie d'arrêter de fumer et aux tentatives d'arrêt chez les fumeurs. Résultats du Baromètre de Santé publique France 2021

// Factors associated with smokers' desire to quit and quit attempts. Results from the Santé publique France Health Barometer, 2021

Guignard R, Soullier N, Pasquereau A, Andler R, Beck F, Nguyen-Thanh V.

La prévalence tabagique a globalement baissé en France depuis 2016, mais un rebond des inégalités sociales semble s'opérer depuis 2020.

[**LIRE L'ARTICLE**](#)

Le bulletin Santé Publique France dans les revues scientifiques est un bulletin mensuel. Il est réalisé par l'Unité de valorisation scientifique de la Direction de la communication et du dialogue avec la société, en collaboration avec les documentalistes de la Direction scientifique et internationale.

Contact: Revuesscientifiques@santepubliquefrance.fr